
136.102 (056.102)

Fall 2003

Final Exam

Show your work. Leave clear sketches of the intermediate steps you make in the construction. Clarity in your pictures will be appreciated and may affect the marking. Accompany your constructions with short descriptions of the steps you make.

1 [8]. (a) The arc a and the point A are all parts of an invisible circle. Construct (using an unmarked ruler and a compass) the center of that circle and then draw the rest of the circle.



(b) Subdivide the circle shown below into six arcs of equal size.

O find center

Double equil. triangles to split into 6

split into 60° angles!


136.102 (056.102)

Fall 2003

Final Exam

Show your work. Leave clear sketches of the intermediate steps you make in the construction. Clarity in your pictures will be appreciated and may affect the marking. Accompany your constructions with short descriptions of the steps you make.

1 [8]. (a) The arc a and the point A are all parts of an invisible circle. Construct (using an unmarked ruler and a compass) the center of that circle and then draw the rest of the circle.




(b) Subdivide the circle shown below into six arcs of equal size.

O find center

Double equil. triangles to split into 6

split into 60° angles!

2.[9] Find the symmetries of the following objects.
[If you list a rotation as a symmetry then identify the center and the angle of rotation. If you list a reflection as a symmetry then identify the line of reflection.]



EI, robtion about 0 by 120°, 240° }

(b) Use the golden triangle in (a) to construct a regular pentagon over the same 1) find the golden cut of make an acuteg.t. elsewhere 2) duplicate the 72° angle at A, &Az to create the acute q.t. (3) measure A, Az & repeat at tips to make the pentagon 4. [8] The picture below shows a part of a fractal F. The following is known about F: the rest of the fractal is within the smaller square and the fractal F is self-similar with respect to the similarity centered at the corner point O and with stretching factor 1/2. Draw (and explain in one sentence) the rest of the fractal F. The rest of the fractal is continuing smaller squares created by a central similarity with a= % & centred

O

af 0.

3. [8] (a) Construct an acute golden triangle over the given side (see below).


5.[9] (a) What kind of a polyhedron is a platonic solid? (Explain in one sentence.)

How many types of platonic solid are there?

It is appolyhedra made of faces of regular polygons, all of one type.


one corner of a cube and the (dashed) horizon line of the perspective drawing. Draw the rest of the cube.

(b) A cube is one type of a platonic solid. The following picture depicts the edges in



6. [10] (a) Construct one (any) hyperbolic line that is perpendicular to the given hyperbolic line (1) connect 0, to 0 to find A The hyperbolic plane is in the interior of this circle 2 make a perpendicular line at A 3) any circle with its was along this line that intersects the given circle at A will be perpendicular, (b) Construct the hyperbolic line passing through the given points A and B. (i) find i(A) \$ 1(A) The hyperbolic plane is in the interior of this circle bigect AB 3) the intersection of this line with l(A) is the center 0of the hyperbolic line through A&B.

7.[8] Consider the surface of the following tape (the surface of the tape only).



(a) Find the genus of the surface of the tape. Briefly justify your answer.

(b) Use (a) to find the Euler's characteristic of the surface of the tape.

$$EC = 2-2(6)$$

 $\Rightarrow EC = 2-2(1) = 0$

- 8. [5 bonus] True or false? (No need to justify your answer.)
 - (a) Every golden rectangle can be subdivided into exactly two squares.
 - (b) The limit of the ratio $\frac{f_n}{f_{n+1}}$ is the golden section ϕ . \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc (c) A composition of any two reflections with respect to a single line is the

identity.

(d) If f is a similarity of stretching factor 2 and centered at a point A, then the

Julia set associated to f is the point A.

(e) Every two bounded and orientable surfaces (= 2-manifolds) of the same Euler

characteristic are homotopic.